

# INDEX MAPS.

## T. 19N, R. 4 E. 2<sup>nd</sup> Mer.

	214		214		213		213		213		212
216	6	238	5	234	4	229	3	225	2	221	1 212
	<del>246</del>		<del>237</del>		<del>233</del>		<del>229</del>		<del>225</del>		<del>220</del>
216	7	237	8	233	9	229	10	224	11	220	12 212
	<del>239</del>		<del>236</del>		<del>232</del>		<del>228</del>		<del>224</del>		<del>219</del>
215	18	236	17	232	16	228	15	223	14	219	13 212
	<del>239</del>		<del>236</del>		<del>232</del>		<del>227</del>		<del>223</del>		<del>219</del>
215	19	235	20	231	21	227	22	223	23	218	24 211
	<del>238</del>		<del>235</del>		<del>231</del>		<del>227</del>		<del>222</del>		<del>218</del>
215	30	235	29	230	28	226	27	222	26	218	25 211
	<del>238</del>		<del>234</del>		<del>230</del>		<del>226</del>		<del>221</del>		<del>217</del>
214	31	234	32	230	33	225	34	221	35	216	36 211
	<del>210</del>		<del>210</del>		<del>210</del>		<del>209</del>		<del>209</del>		<del>209</del>

## T. 20N, R. 4 E. 2<sup>nd</sup> Mer.

	248		248		248		247		247		247	
250	6	271	5	267	4	262	3	258	2	254	1	246
	<del>273</del>		<del>271</del>		<del>266</del>		<del>262</del>		<del>258</del>		<del>254</del>	
250	7	270	8	266	9	262	10	258	11	253	12	246
	<del>273</del>		<del>270</del>		<del>266</del>		<del>261</del>		<del>257</del>		<del>253</del>	
249	18	270	17	265	16	261	15	257	14	253	13	246
	<del>272</del>		<del>269</del>		<del>265</del>		<del>261</del>		<del>256</del>		<del>252</del>	
249	19	269	20	264	21	260	22	256	23	252	24	245
	<del>272</del>		<del>269</del>		<del>264</del>		<del>260</del>		<del>256</del>		<del>252</del>	
249	30	268	29	264	28	259	27	255	26	251	25	245
	<del>272</del>		<del>268</del>		<del>263</del>		<del>259</del>		<del>255</del>		<del>251</del>	
248	31	267	32	263	33	259	34	255	35	250	36	245
	<del>244</del>		<del>244</del>		<del>244</del>		<del>243</del>		<del>243</del>		<del>243</del>	

The figures on the lines refer to the page.

*Township Lines.*

Ch. Lr. South Boundary. Var. C. 36. E.  
 Bearings at corner of T. 19 & 20 N, R. 4 & 5 E.  
 a — 12 in. dia. bears N 69 W 19 Ws. dist. 8  
 a Sugar 16 " " " S 63 W 17 " "

West on the S. Boundary of Sec. 30

40.00 set of sec. post from which  
 a Elm 18 in. dia. bears N 30 E 34 Ws. dist. 8  
 an Elm 20 " " " S 20 W 54 " "

47.50 a creek 50 Ws. wide course S.

49.50 a Do 50 " " " S.

68.77 an Ark 24 in. dia.

80.00 set post cor. of sec. 35 & 36 from which  
 a Beech 10 in. dia. bears S 57 E 18 Ws. dist. 8  
 a Do 14 " " " N 75 W 40 " "  
 Over rolling land. Timber Beech, Ark &  
 Ws. Spice

West on the S. Boundary of Sec. 35

19.75 a Beech 10 in. dia.

40.00 set of sec. post from which  
 a Beech 18 in. dia. bears N 70 E 5 Ws. dist. 8  
 a Do 24 " " " S 70 W 40 " "

63.10 an W. Oak 24 " "

80.00 set post cor. of sec. 34 & 35 from which  
 an Ironwood 5 in. dia. bears N 82 E 27 Ws. dist. 8  
 a Beech 8 " " " S 81 W 14 " "  
 Over level land. Timber Beech, Oak, Ark  
 & Ws. Spice

West on the S. Boundary of Sec. 34

24.50 a Brook 7 Ws. wide course S.

35.10 a Sugar 10 in. dia.

40.00 set of sec. post from which  
 a Beech 10 in. dia. bears S 53 E 24 Ws. dist. 8  
 a Sugar 8 " " " S 73 W 25 " "

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. Sk.

44.50 a Brook 6<sup>th</sup> wide course S.

66.50 a Beech 12 in. dia.

80.00 set post cor. of sec. 33 & 34 from which  
an Oak 24 in. dia. bears N 23° W 21<sup>th</sup> dist. 8  
a Walnut 4 " " " S 51° E 6 " "  
Land &c. same as last described.

West on the S. Boundary of Sec. 33

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 32° E 18<sup>th</sup> dist. 8

a W. Oak 18 " " " S 23° W 27 " "

64.30 a W. Oak 30 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 12 in. dia. bears N 50° E 23<sup>th</sup> dist. 8

an Irons<sup>d</sup>. 6 " " " S 25° W 19 " "

Land &c. same as last described

West on the S. Boundary of Sec. 32

30.52 a Sycamore 18 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 52° E 12<sup>th</sup> dist. 8

an Elm 8 " " " N 51° W 15 " "

79.00 a Creek 20<sup>th</sup> wide course S.

80.00 set post cor. of sec. 31 & 32 from which

a Sugar 22 in. dia. bears S 87° E 29<sup>th</sup> dist. 8

a Do 20 " " " S 69° W 27 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 31

29.70 a Beech 10 in. dia.

40.00 set of sec. post from which

an Elm 18 in. dia. bears N 58° E 37<sup>th</sup> dist. 8

an Ash 10 " " " S 85° W 27 " "

77.00 a Brook 15<sup>th</sup> wide course N E

81.55 Intersect W. Boundary 300<sup>th</sup> N. of temp. post

set post at intersection cor. of T. 19 & 20 N., R. 3 & 4 E. from

T. 20 N., R. 4 E. 2. Mer. Ind.<sup>a</sup>  
 Ch. Lk.

which a Walnut 24 in. dia. bears N 70 E 22 W. dist. 8  
 a Beech 14 " " " S 86 W 25 " "  
 Land &c. same as before described.  
 December 2, 1819

East Boundary. Var. 5.50. E.  
 North on the E. Boundary of Sec. 36  
 40.00 set g. sec. post from which  
 a Beech 20 in. dia. bears S 24 E 51 W. dist. 8  
 a Sugar 8 " " " N 14 W 14 " "  
 48.17 a Poplar 24 " "  
 64.00 a creek 50 Ws. wide course SW  
 80.00 set post cor. of sec. 25 & 36 from which  
 a Beech 13 in. dia. bears S 11 E 49 W. dist. 8  
 a Do 18 " " " N 30 E 25 " "  
 Over rolling land. Timber Beech, Ash,  
 Sugar. Hys. Spice &c.

North on the E. Boundary of Sec. 25  
 29.30 a Beech 14 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 12 in. dia. bears S 26 W 22 W. dist. 8  
 an Elm 10 " " " N 7 E 24 " "  
 60.55 a Beech 14 " "  
 80.00 set post cor. of sec. 24 & 25 from which  
 a Beech 24 in. dia. bears S 53 W 7 W. dist. 8  
 an Ash 18 " " " N 36 E 23 " "  
 Land &c. same as last described.

North on the E. Boundary of Sec. 24  
 20.30 a Hickory 12 in. dia.  
 40.00 set g. sec. post from which  
 a Hickory 20 in. dia. bears S 24 W 31 W. dist. 8  
 an Ash 12 " " " N 67 E 23 " "  
 68.20 an Oak 24 " "  
 74.50 a Brook 10 Ws. wide course SE.



T. 20 N., R. 4 E., 2. Mer. Ind. <sup>a</sup>  
Chr. Gr?

80.00 set post cor. of sec. 13 & 14 from which  
a Sugar 18 in. dia. bears S 39 W 50 Yds. dist. 8  
a Do 10 " " " N 49 W 31 " "  
Over level land. Timber as before described.

---

North in the E. Boundary of Sec. 13

19.75 a Sugar 13 in. dia.

40.00 set q. sec. post from which  
a Lym 30 in. dia. bears S 33 W 7 Yds. dist. 8  
a Beech 7 " " " N 73 W 6 " "

52.00 a Brook 4 Yds. wide course NE

61.10 a Sugar 13 in. dia.

80.00 set post cor. of sec. 12 & 13 from which  
an Oak 14 in. dia. bears S 44 E 36 Yds. dist. 8  
a Do 20 " " " N 44 E 21 " "  
Land &c. same as last described.

---

North in the E. Boundary of Sec. 12

18.53 an Ash 20 in. dia.

40.00 set q. sec. post from which  
a Sycamore 16 in. dia. bears S 23 W 55 Yds. dist. 8  
a Beech 14 " " " N 88 E 5 " "

40.50 a Creek 50 Yds. wide course E.

48.00 a Beech 14 in. dia.

72.00 a Creek 50 Yds. wide course SW

80.00 set post cor. of sec. 1 & 12 from which  
a Beech 16 in. dia. bears S 89 W 37 Yds. dist. 8  
a — 20 " " " N 28 E 32 " "  
Over rolling land. Timber as before.

---

North in the E. Boundary of Sec. 1

2.50 a Creek 50 Yds. wide course SE

5.00 same 50 " " " SW

9.50 same 50 " " " SE

15.00 same 50 " " " SW

40.00 set q. sec. post from which

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind. a  
Chr. Pl?

a Beech 8 in. dia. bears S 8 E 12 W. dist. 8  
a Do 8 " " " N 12 W 27 " "  
63.00 a Brook 3 W. wide course E.  
73.34 to port cor. of T. 20 & 21 N., R. 4 & 5 E. from which  
a Beech 10 in. dia. bears S 77 W 8 W. dist. 8  
a Do 9 " " " " N 72 E 16 " "  
Land &c. same as last described.  
November 9. 1819

### North Boundary.

West on the S. Boundary of Sec. 36, T. 21 N., R. 4 E  
40.00 set g. sec. post from which  
an Ash 6 in. dia. bears N 68 W 16 W. dist. 8  
a Do 8 " " " " S 86 E 9 " "  
80.00 set port cor. of sec. 35 & 36 from which  
a Beech 14 in. dia. bears N 81 W 26 W. dist. 8  
a Do 9 " " " " S 84 E 9 " "  
Level land. Timber Beech, Ash, Oak &c.  
Wgs. Spice

West on the S. Boundary of Sec. 35, T. 21 N., R. 4 E  
40.00 set g. sec. post from which  
a Beech 12 in. dia. bears N 36 W 18 W. dist. 8  
an Oak 10 " " " " S 45 E 10 " "  
80.00 set port cor. of sec. 34 & 35 from which  
an Oak 9 in. dia. bears N 73 W 14 W. dist. 8  
a Maple 12 " " " " S 55 E 13 " "  
Low wet land. Timber Ash, Maple &c.  
Wgs. the same

West on the S. Boundary of Sec. 34, T. 21 N., R. 4 E  
40.00 set g. sec. post from which  
a Beech 10 in. dia. bears N 15 E 35 W. dist. 8  
a Do 12 " " " " S 47 W 42 " "  
80.00 set port cor. of sec. 33 & 34 from which  
a Sycamore 15 in. dia. bears S 43 W 10 W. dist. 8

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. Co.

a Sycamore 18 in. dia. bears N 43 E 24 W. dist.  
 Land &c. same as last described.

West on the S. Boundary of Sec. 33, T 21 N, R 4 E  
 40.00 set g. sec. post from which

a Sycamore 24 in. dia. bears N 57 W 20 W. dist. &

a Gum 12 " " " S 37 E 17 " "

80.00 set post cor. of sec. 32 & 33 from which

a Sugar 9 in. dia. bears N 4 E 4 W. dist. &

a Do 18 " " " S 72 W 13 " "

Level rich land. Timber Beech, Sugar, Poplar  
 & W. Spice. Soil good.

West on the S. Boundary of Sec. 32, T 21 N, R 4 E  
 40.00 set g. sec. post from which

an Ironwood 6 in. dia. bears N 81 W 28 W. dist. &

a Beech 12 " " " S 53 E 10 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 9 in. dia. bears N 72 W 14 W. dist. &

an Ash 9 " " " N 65 E 5 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 31, T 21 N, R 4 E.  
 40.00 set g. sec. post from which

a Sugar 20 in. dia. bears N 38 W 24 W. dist. &

a Beech 18 " " " S 3 E 22 " "

82.88 Intersect W. Boundary 715 W. S. of temp. post -  
 set post at intersection cor. of T. 20 & 21 N, R 3 & 4 E.  
 from which

a Beech 18 in. dia. bears N 8 W 36 W. dist. &

a Do 14 " " " S 35 W 29 " "

Land &c. same as last described.

West Boundary. Var. 54.5 E.  
 North on the E. Boundary of Sec. 30, T 20 N, R 3 E.  
 22.15 an Elm 15 in. dia.

249

T. 20 N., R. 4 E., 2<sup>d</sup> Mer. Ind.<sup>n</sup>

Chr. Spr.

37.00 a Brook 10 Ws. wide course S E  
 40.00 set g. sec. post from which  
     a Beech 8 in. dia. bears S 21 E 10 Ws. dist. 8  
     a Do 8 " " " N 30 W 11 " "  
 60.05 a Walnut 36 " "  
 80.00 set post cor. of sec. 25 & 36 from which  
     a Beech 8 in. dia. bears S 39 W 32 Ws. dist. 8  
     an Elm 14 " " " N 54 E 22 " "  
 Over good farming land. Timber Beech,  
 Sugar, Ash & V. Uls. Spice

North on the E. Boundary of Sec. 25, T 20 N, R 3 E  
 8.90 an Elm 16 in. dia.  
 40.00 set g. sec. post from which  
     an Oak 7 in. dia. bears S 39 W 4 Ws. dist. 8  
     a Hickory 5 " " " N 47 E 24 " "  
 80.00 set post cor. of sec. 24 & 25 from which  
     a Beech 20 in. dia. bears S 6 W 15 Ws. dist. 8  
     an Oak 20 " " " N 25 E 21 " "  
 Over level land. Timber Beech, Oak &  
 Uls. Hazel & Brins.

North on the E. Boundary of Sec. 24, T 20 N, R 3 E.  
 12.70 a Beech 12 in. dia.  
 40.00 set g. sec. post from which  
     a Beech 20 in. dia. bears S 55 W 27 Ws. dist. 8  
     a Sycamore 18 " " " N 55 E 20 " "  
 62.55 an Ash 12 " "  
 80.00 set post cor. of sec. 13 & 24 from which  
     an Ironwood 7 in. dia. bears S 19 E 10 Ws. dist. 8  
     a Beech 8 " " " N 73 W 9 " "  
 Land &c. same as last described.

North on the E. Boundary of Sec. 13, T 20 N, R 3 E  
 30.70 an Oak 30 in. dia.  
 40.00 set g. sec. post from which

T20 N., R.4 E., T.2 Mer. Ind.<sup>a</sup>  
Chs. Lk.

an Ironwood 5 in. dia. bears S10 W 15 Ws. dist. 8  
a Sugar 12 " " " N30 E 31 " "  
70.14 a Sugar 14 " "  
80.00 set post cor. of sec. 12 & 13 from which  
a Buckeye 8 in. dia. bears S25 W 14 Ws. dist. 8  
a Hickory 8 " " " N10 E 14 " "  
Land &c. same as last described.

North on the E. Boundary of Sec. 12, T20 N., R3 E.  
13.50 a beech 30 Ws. wide corner E.

35.19 a W. Oak 30 in. dia.

40.00 set g. sec. post from which  
a Beech 18 in. dia. bears S25 W 33 Ws. dist. 8  
a Sugar 14 " " " N23 W 28 " "

54.94 a Sugar 15 " "

80.00 set post cor. of sec. 1 & 12 from which  
an Oak 30 in. dia. bears S28 E 10 Ws. dist. 8  
a Beech 13 " " " N13 E 26 " "  
Over good farming land. Timber Beech,  
Sugar, Ash, Oak &c.

North on the E. Boundary of Sec. 1, T20 N., R3 E.  
12.50 an Oak 24 in. dia.

40.00 set g. sec. post from which  
a Sugar 8 in. dia. bears S73 W 16 Ws. dist. 8  
a Beech 18 " " " N64 E 43 " "

51.50 an Oak 20 " "

72.85 to Township corner as established.  
Land &c. same as last described.

December 3. 1819 John M. Donald  
Deputy Surveyor.

### Subdivision.

North between Sec. 35 & 30

21.05 a Beech 7 in. dia.

40.00 set g. sec. post from which



T. W. N., R. H. E. L. Mer. Ind. a

Chr. Chr.

at N. Ark 10 in. dia. bears N 68 W 25 W. dist. 8  
a Beech 20 " " " S 43 E 38 " "

70.10 a Do 12 " "

80.00 set part cen. of sec. 25, 26, 35 & 36 from which  
a Beech 13 in. dia. bears S 81 E 5 W. dist. 8

at N. Ark 10 " " " N 19 W 10 " "

Land level 2. rate. Timber Beech, Ark, Oak,  
Hickory & Upr. Spice &

East on Random between Sec. 25 & 36

0.80 a creek 110 W. wide course S 45 E

40.00 set temp. g. sec. part

44.70 a Stream 5 W. wide course S.

80.21 Intersect E. Boundary 48 W. S. of part  
Land a little broken good 2. rate. Timber  
Beech, Ark, Sugar & Upr. Spice &

West Corrected between Sec. 25 & 36

22.37 a Beech 10 in. dia.

40.10 h set g. sec. part at aver. dist. from which  
a Beech 19 in. dia. bears S 10 W 31 W. dist. 8  
an Ironwood 9 " " " N 61 E 18 " "

59.70 a Beech 22 " "

80.21 to sec. cor.

North between Sec. 25 & 26

7.50 a creek 100 W. wide course S 35 E

24.61 a Buckeye 10 in. dia.

40.00 set g. sec. part from which  
a Redbud 4 in. dia. bears N 21 E 23 W. dist. 8  
a Beech 10 " " " S 10 E 25 " "

41.30 a creek 50 W. wide course S 5 W

56.31 a Beech 28 in. dia.

57.20 a creek 75 W. wide course E.

80.00 set part cen. of sec. 23, 24, 25 & 26 from which  
a Blue Ark 8 in. dia. bears N 24 W 26 W. dist. 8

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.  
Chs. Str.

a Beech 14 in. dia. bears S 2 E 39 Mer. dist.  
Land a little broken, soil rich. Timber Ash, Poplar,  
Buckeye, Beech, Walnut & Upr. Spice, P. Ash &c.

East on Random between Secs. 24 & 25

40.00 set temp. q. sec. post

80.01 Intersect E. Boundary 39 Mer. S. of post -

Land level 2<sup>d</sup> rate. Timber Beech, Oak, Hickory,  
Ash & Upr. Spice &c.

West Connected between Secs. 24 & 25

21.71 a W. Oak 10 in. dia.

40.30 1/2 set q. sec. post at aver. dist. from which

a W. Ash 18 in. dia. bears N 66 W 26 Mer. dist. &

a Beech 14 " " " S 66 E 30 " "

60.35 a Sugar 12 " "

80.01 to sec. cor.

North between Secs. 23 & 24

24.85 a Sugar 12 in. dia.

40.00 set q. sec. post from which

a Beech 14 in. dia. bears N 15 E 18 Mer. dist. &

a Do 9 " " " S 24 E 4 " "

60.83 a Sugar 16 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 (No Bearings)

Land a little broken, rich soil. Timber Beech,  
Sugar, Ash, Elm, Oak, Hickory & Upr. Spice,  
Ash, Syc. &c.

East on Random between Secs. 13 & 24

40.00 set temp. q. sec. post

80.41 Intersect E. Boundary 8 Mer. N. of post -

Land level 2<sup>d</sup> rate. Timber Oak, Sugar, Beech,  
Hickory, Ash & Upr. Spice, Ash, Syc. &c.

West Connected between Secs. 13 & 24

T. 20 N., R. 4 E. 2. Mer. Ind. a  
Ch. No.

23.74 a Beech 9 in. dia.

40.20 1/2 set of sec. post at aver. dist. from which  
a Beech 8 in. dia. bears N 48° W 36 Ws. dist. 8  
a Sugar 16 " " " S 78° E 4 " "

62.28 a W. Oak 40 " "

80.41 to sec. cor.

North between Sec. 13 & 14

23.00 a W. Oak 38 in. dia.

40.00 set of sec. post from which  
a W. Ash 26 in. dia. bears N 61° W 16 Ws. dist. 2,  
a Beech 9 " " " South 2 " "

63.22 a Beech 14 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
a Beech 10 in. dia. bears N 12° E 15 Ws. dist. 8  
a Sugar 10 " " " S 31° W 18 " "

Land level 2<sup>d</sup> rate. Timber Beech, W. Oak, Sugar,  
Poplar, Ash, Elm & Upr. Spice, Ash &c

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

80.71 Intersect E. Boundary 74 Ws. N. of post—

Land level 2<sup>d</sup> rate. Timber Beech, Ash, W. Oak,  
Hickory, Sugar & Upr. Spice, Ash &c

West Corrected between Sec. 12 & 13

21.52 a Hickory 10 in. dia.

40.35 1/2 set of sec. post at aver. dist. from which  
a Beech 8 in. dia. bears S 42° W 33 Ws. dist. 2,  
a Sup. Ash 8 " " " N 39° E 9 " "

60.79 a Beech 10 " "

80.71 to sec. cor.

North between Sec. 11 & 12

32.50 a Sugar 15 in. dia.

40.00 set of sec. post from which

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>Elev. Sp<sup>1</sup>

a Hornbeam 8 in. dia. bears N 5 9 W 20 Ws. dist. 3  
 a Do 8 " " " S 51 9 W 12 " "

61.21 a W. Ash 12 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
 a Beech 14 in. dia. bears S 77 9 W 7 Ws. dist. 3

a W. Oak 22 " " " N 77 E 30 " "

Land level 2<sup>d</sup> rate. Timber W. Oak, Sugar, Hick-  
 ory, Ash & W. Spr. Spice &

East on Random between Sec. 1 &amp; 12

40.00 set temp. gr. sec. post

80.04 Intersect E. Boundary 66 Ws. N. of post -

Land level 2<sup>d</sup> rate. Timber Oak, Beech, Sugar,  
 Hickory, Ash & W. Spr. Spice &

West Corrected between Sec. 1 &amp; 12

24.73 a Sugar 14 in. dia.

40.02 set gr. sec. post at aver. dist. from which

a Beech 9 in. dia. bears N 17 E 28 Ws. dist. 3

a Do 8 " " " " S 8 9 W 23 " "

60.52 a W. Oak 12 " "

80.04 to sec. cor.

North between Sec. 1 &amp; 2

21.29 a Beech 9 in. dia.

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 84 9 W 27 Ws. dist. 3

a W. Elm 26 " " " " N 4 9 W 17 " "

64.18 a Beech 7 " "

71.40 Intersect N. Boundary 88 Ws. E. of post -

set post at intersection cor. of sec. 1 &amp; 2 from which

a Beech 8 in. dia. bears N 84 E 5 Ws. dist. 3

a Sugar 36 " " " " N 64 9 W 10 " "

Land level good 2<sup>d</sup> rate. Timber Oak, Ash, Beech,  
 Poplar, Elm, Sugar & W. Spr. Spice, Ash, Horn-  
 beam, Ironwood &

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>  
Chs. Lp<sup>s</sup>

North between Sec. 34 & 35  
22.89 a Red Oak 32 in. dia.  
40.00 set g. sec. post from which  
a W. Elm 14 in. dia. bears N 70 E 13 W. dist. 3  
a Do 9 " " " S 77 W 3 " "  
65.68 a Beech 15 " "  
80.00 set post cor. of sec. 26, 27, 34 & 35 from which  
a Beech 9 in. dia. bears N 66 E 6 W. dist. 3  
a Syc 24 " " " S 34 W 38 " "  
Land level 2<sup>d</sup> rate. Timber Beech, W. R. Oak,  
Hickory, Elm, Ash & W. Spruce, Ash, Ironwood &c.

---

East on Random between Sec. 26 & 35  
40.00 set temp. g. sec. post  
78.13 Intersect N. S. line 78 W. E. of post—  
Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak,  
Hickory & W. Spruce, Hazel, Ironwood &c.

---

West Connected between Sec. 26 & 35  
22.33 a Beech 8 in. dia.  
39.06<sup>1</sup>/<sub>2</sub> set g. sec. post at aver. dist. from which  
a W. Maple 12 in. dia. bears S 66 E 56 W. dist. 3  
a W. Elm 18 " " " N 77 W 19 " "  
57.99 a Beech 15 " "  
78.13 to sec. cor.

---

North between Sec. 26 & 27  
19.15 a Sugar 9 in. dia.  
40.00 set g. sec. post from which  
a Beech 9 in. dia. bears N 14 W 19 W. dist. 3  
a Sugar 10 " " " S 71 E 20 " "  
64.70 a B. Walnut 24 in. dia.  
80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
a Mulberry 3 in. dia. bears N 40 W 20 W. dist. 3  
a Beech 13 " " " S 25 E 24 " "  
Land level 2<sup>d</sup> rate. Timber W. Oak, Sugar



T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Chr. Exp.

Poplar, Beech, Sycam & Upr. Spice

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post

54.50 a creek 70 yds. wide course S 80 E. very shallow

64.25 a Do 60 " " " " N 60 E. Do

70.90 a Do 50 " " " " S. shallow & sluggish

77.72 Intersect N. & S. line 5 yds. S. of post -

Land a little broken 2<sup>d</sup> rate. Timber W. Oak,  
Beech, Hickory & Sugar. Some Buckeye and  
Walnut about the creek. Upr. Spice &c

West Corrected between Sec. 23 & 26

20.62 a Buckeye 10 in. dia.

38.86 set gr. sec. post at aver. dist. from which  
an Ironwood 7 in. dia. bears N 52 W 23 yds. dist. &

a Beech 5 " " " " S 70 E 9 " "

61.08 a Beech 12 " "

77.72 to sec. cor.

North between Sec. 22 & 23

22.02 a Beech 10 in. dia.

40.00 set gr. sec. post from which

a Beech 9 in. dia. bears S 29 W 17 yds. dist. &

a Do 12 " " " " N 7 E 21 " "

74.45 a Sugar 14 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Buckeye 10 in. dia. bears S 69 W 9 yds. dist. &

a Do 8 " " " " N 87 E 25 " "

Land level good 2<sup>d</sup> rate. Timber W. Oak,  
Beech, Sugar, Ash & Upr. Spice, Pawpaw &c

East on Random between Sec. 14 & 23

16.45 a creek 60 yds. wide course, S 75 E

40.00 set temp. gr. sec. post

77.47 Intersect N. & S. line 8 yds. N. of post -

257

Chs. Sh. T. 20 N., R. 4 E. 2. Mer. Ind.

Land level 2. rate. Timber Beech, W. Oak, Sugar,  
Ash & Ulp. Spice &

---

West Corrected between Sec. 14 & 23

17.10 a Sugar 24 in. dia.

38.73 1/2 set of sec. post at aver. dist. from which  
an Ironwood 6 in. dia. bears S 28 1/2 W 17 1/2 Mer. dist. 2  
a Hornbeam 8 " " " N 19 E 12 " "

50.44 a W. Oak 36 " "

77.47 to sec. cor.

---

North between Sec. 14 & 15

18.15 a creek 60 Ws. wide course S 60 E

20.86 a Beech 14 in. dia.

40.00 set of sec. post from which

a W. Ash 14 in. dia. bears S 66 E 16 Ws. dist. 2

a Beech 9 " " " S 10 1/2 W 11 " "

04.13 a B. Walnut 30 in. dia.

80.00 set post cn. of sec. 10, 11, 14 & 15 from which

a Beech 6 in. dia. bears S 73 1/2 W 8 Ws. dist. 2

a Do 10 " " " N 71 E 37 " "

Land level 2. rate. Timber Oak, Sugar, Beech,  
Ash, Hickory, Walnut, Buckeye & Spice &

---

East on Random between Sec. 11 & 14

40.00 set temp. of sec. post

77.63 Intersect N & S. line 3 Ws. N. of post -

Land level 2. rate. Timber Beech, Oak, Ash,  
Poplar, Sugar & Ulp. Spice &

---

West Corrected between Sec. 11 & 14

18.55 a W. Elm 16 in. dia.

38.81 1/2 set of sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 34 E 29 Ws. dist. 2

a Do 9 " " " N 60 W 26 " "

53.21 a Sugar 18 " "

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. Sp.

77.63 to sec. cor.

North between Sec. 10 & 11

22.00 a Poplar 28 in. dia.

40.00 set gr. sec. post from which

a Beech 14 in. dia. bears S 60° W 12 Mk. dist. 3

a N. Ash 16 " " " N 60° E 2 " "

60.94 a Poplar 22 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Sugar 9 in. dia. bears N 80° E 12 Mk. dist. 3

a Sup. Ash 26 " " " S 23° W 2 " "

Land level 2<sup>d</sup> rate. Timber W. Oak, Sugar,

Beech, Poplar, Ash & Upr. Spice &

East on Random between Sec. 2 & 11

40.00 set temp. gr. sec. post

78.27 Intersect N & S line 31 Mk. N. of post -

Land level 2<sup>d</sup> rate. Timber W. Oak, Hickory,

Beech, Ash, Sugar & Upr. Spice &

West Corrected between Sec. 2 & 11

17.21 a Beech 9 in. dia.

39.63<sup>1</sup>/<sub>2</sub> set gr. sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 42° E 18 Mk. dist. 3

a N. Maple 12 " " " N 27° E 5 " "

61.67 a Beech 9 " "

78.27 to sec. cor.

North between Sec. 2 & 3

19.80 a Sugar 24 in. dia.

40.00 set gr. sec. post from which

a Beech 13 in. dia. bears N 34° W 20 Mk. dist. 3

a Do 9 " " " S 11° E 10 " "

62.00 a N. Oak 22 " "

71.76 Intersect N Boundary 329 Mk. E. of post -

set post at intersection cor. of Sec. 2 & 3 from which

Em. Spr. T. D. N., R. H. E. D. Mer. Ind.

a R. Oak 14 in. dia. bears N 20 W 10 W. dist. 8  
 a B. Ash 8 " " " S 69 E 2 " "  
 Land level 2. rate. Timber Oak, Beech, Ash  
 Elm & Upr. Spice & September 29, 1821

North between Sec. 33 & 34

18.15 a Sugar 13 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 40 E 18 W. dist. 8

a Spr 9 " " " S 60 W 22 " "

61.09 a W. Oak 24 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Ironwood 8 in. dia. bears S 44 W 26 W. dist. 8

a Poplar 22 " " " N 18 E 13 " "

Land level rich. Timber W. Oak, Beech,  
 Sugar, Ash, Poplar & Upr. Spice &

East in Random between Sec. 27 & 34

40.00 set temp. of sec. post

79.36 Intersect N & S. line 70 W. S. of post —

Land level 2. rate. Timber Beech, Oak, Ash,

Sugar, Hickory & Upr. Spice &

West Corrected between Sec. 27 & 34

18.97 a W. Oak 30 in. dia.

39.13 1/2 set of sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 38 E 16 W. dist. 8

a R. Elm 14 " " " S 58 W 8 " "

60.55 a Beech 8 " "

79.36 to sec. cor.

North between Sec. 27 & 28

2.00 enter Swamp

19.50 leave "

20.50 a W. Maple 14 in. dia.

40.00 set of sec. post from which

T. 20 N., R. 4 E., T. 2 Mer. Ind. a

Chr. Sk.

a Swp. Ash 7 in. dia. bears N 24 W 24 Ws. dist. 8  
 a Beech 10 " " " S 24 E 7 " "  
 60.91 a Beech 14 " "  
 80.00 det part cor. of sec. 21, 22, 27 & 28 from which  
 a Beech 7 in. dia. bears N 10 W 23 Ws. dist. 8  
 a Do 8 " " " S 51 E 26 " "  
 Land level, rich soil. Timber Beech, W. &  
 R. Oak, Ash, Poplar, Sugar, Hickory &  
 Upr. Spice &

East on Random between Sec. 22 & 27

40.00 det temp. of sec. front  
 78.86 Intersect N & S line 34 Ws. N. of front -  
 Land level 2 rate. Timber Beech, Oak,  
 Ash, Elm, Hickory & Upr. Spice, Hazel,  
 P. Ash &

West Corrected between Sec. 22 & 27

19.13 a W. Oak 14 in. dia.  
 39.43 det of sec. front at aver. dist. from which  
 a Swp. Ash 3 in. dia. bears N 80 E 15 Ws. dist. 8  
 a Ironwood 5 " " " S 44 W 22 " "  
 61.43 a W. Oak 24 " "  
 78.86 to sec. cor.

North between Sec. 21 & 22

22.45 a Sugar 15 in. dia.  
 40.00 det of sec. front from which  
 a Beech 10 in. dia. bears S 33 E 10 Ws. dist. 8  
 a Do 10 " " " N 74 W 22 " "  
 62.13 a Sugar 14 " "  
 80.00 det part cor. of sec. 15, 16, 21 & 22 from which  
 a Sugar 20 in. dia. bears S 67 W 35 Ws. dist. 8  
 a Do 18 " " " N 52 E 18 " "  
 Land level & rich. Timber Beech, Sugar,  
 Walnut, W. Oak, Hickory, Ash & Spice &



261

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.  
Chas. G. H.

East on Random between Sec. 15 & 22

40.00 set temp. gr. sec. post

78.90 Intersect N & S. line 82 Wks. N. of post—

Land level & rich. Timber Sugar, Beech,  
W. Oak, Hickory & Upr. Spice &c.

---

West Connected between Sec. 15 & 22

18.40 a Lym 40 in. dia.

39.45 set gr. sec. post at aver. dist. from which

a Ironwood 5 in. dia. bears N 84 W 15 Wks. dist. 3

a Beech 9 " " " N 84 E 21 " "

53.26 a Sugar 12 " "

78.90 to sec. cor.

---

North between Sec. 15 & 16

25.33 a Sugar 11 in. dia.

40.00 set gr. sec. post from which

a Sugar 4 in. dia. bears N 60 W 13 Wks. dist. 3

a Do 6 " " " S 60 E 2 " "

46.30 a Stream 25 Wks. wide course S E

62.08 a Beech 11 in. dia.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Beech 8 in. dia. bears S 83 E 8 Wks. dist. 3

a W. Oak 40 " " " South 12 " "

Land level 2<sup>d</sup> rate. Timber Oak, Hickory,  
Ash, Sugar, Beech & Upr. Spice &c.

---

East on Random between Sec. 10 & 15

40.00 set temp. gr. sec. post

58.75 a Stream 60 Wks. wide course S E

78.10 Intersect N & S. line 30 Wks. N. of post—

Land level 2<sup>d</sup> rate. Timber Oak, Beech, Ash,  
Walnut & Upr. Spice &c.

---

West Connected between Sec. 10 & 15

18.06 a Beech 16 in. dia.

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. 1<sup>st</sup>

39.05 set gr. sec. post at aver. dint. from which  
 a Beech 15 in. dia. bears N45°W 21 Ws. dint. 8  
 a Sugar 9 " " " S 68°E 17 " "  
 63.60 a Beech 12 " "  
 78.10 to sec. cor.

North between Sec. 9 & 10

22.54 a Poplar 30 in. dia.  
 40.00 set gr. sec. post from which  
 a Beech 6 in. dia. bears South 18 Ws. dint. 8  
 a Do 6 " " " N49°W 9 " "  
 59.50 a W. Ark 20 " "  
 80.00 set post cor. of sec. 3, 4, 9 & 10 from which  
 a Buckeye 8 in. dia. bears N51°W 8 Ws. dint. 8  
 a Hickory 12 " " " S24°E 36 " "  
 Land level, soil rich. Timber Oak, Walnut, Sugar,  
 Hickory, Beech & Upr. Spice &c.

East in Random between Sec. 3 & 10

31.00 a Stream 62 Ws. wide course S5°E  
 40.00 set temp. gr. sec. post  
 78.04 Intersect N & S. line 75 Ws. N. of post—  
 Land level 2<sup>d</sup> rate. Timber Oak, Ash, Beech,  
 Hickory &c. Upr. Spice, Ark &c.

West Corrected between Sec. 3 & 10

17.50 a Hickory 13 in. dia.  
 39.02 set gr. sec. post at aver. dint. from which  
 a Beech 10 in. dia. bears N40°E 18 Ws. dint. 8  
 a Do 12 " " " S40°W 17 " "  
 58.20 a Beech 12 " "  
 78.04 to sec. cor.

North between Sec. 3 & 4

0.75 a Stream 25 Ws. wide course NE  
 21.25 a W. Oak 18 in. dia.

263

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.  
Chas. L. L.

40.00 set of sec. post from which  
a W. Ash 12 in. dia. bears N 50° W 31 Ws. dist. 8,  
a Sugar 14 " " " S 78° E 15 " "

59.00 a Lycamore 36 in. dia.

70.07 Intersect N. Boundary 581 Ws. E. of post —

set post at intersection cor. of sec. 32 & 34 from which

a B. Ash 10 in. dia. bears S 87° W 22 Ws. dist. 8,

a W. Ash — " " " North 5 " "

Land level 2<sup>d</sup> rate. Timber Oak, Ash, Hickory,

Elm, Walnut & Upr. Spice, Ash, Prickly Ash

&c. January 15. 1822

North between Sec. 32 & 33

32.28 a B. Ash 7 in. dia.

40.00 set of sec. post from which

a B. Ash 4 in. dia. bears N 6° E 12 Ws. dist. 8

a Hickory 10 " " " S 24° W 11 " "

64.90 a W. Oak 36 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Hornbeam 6 in. dia. bears N 45° E 10 Ws. dist. 8,

a Do 7 " " " S 62° W 11 " "

Land level 2<sup>d</sup> rate. Timber Ash, W. Oak, Hickory,  
Elm & Upr. Spice &c.

East on Random between Sec. 28 & 33

40.00 set temp. of sec. post

70.00 enter Swamp

76.60 leave "

81.50 Intersect N. & S. line 75 Ws. S. of post —

Land level 2<sup>d</sup> rate. Timber Oak, Beech, Ash,

Poplar & Upr. Spice &c.

West Corrected between Sec. 28 & 33

28.88 a Beech 9 in. dia.

40.75 set of sec. post at aver. dist. from which

a R. Oak 36 in. dia. bears S 73° W 54 Ws. dist. 8

T. 20 N., R. 4 E. 2<sup>d</sup>. Mer. Inda.

Chs. Lk.

62.17 a Hickory 10 in. dia. bears N 51 E 7 W. dist.  
 a Beech 10 " "  
 81.50 to sec. cor.

## North between Secs. 28 &amp; 29

17.04 a W. Oak 24 in. dia.  
 40.00 set g. sec. post from which  
 a Poplar 8 in. dia. bears S 16 W 23 W. dist. 8  
 a Beech 8 " " " N 11 W 6 " "  
 74.10 a W. Ash 18 " "  
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a Beech 5 in. dia. bears N 10 W 23 W. dist. 8  
 a Sugar 26 " " " S 11 E 27 " "  
 Land level good 2<sup>d</sup> rate. Timber Ash, W. Oak,  
 Hickory, Beech, Walnut & W. Spruce &c.

## East on Random between Secs. 21 &amp; 28

40.00 set temp. g. sec. post  
 81.75 Intersect N. S. line 10 W. S. of post—  
 Land level rich, black soil. Timber on  
 T.<sup>h</sup> half mile Beech, Walnut, Ash, W. Oak,  
 Hickory, Elm & W. Spruce. Last half  
 mile Walnut, Ash, Hickory &c.

## West Corrected between Secs. 21 &amp; 28

25.33 a Beech 10 in. dia.  
 40.87 1/2 set g. sec. post at aver. dist. from which  
 a Buckeye 8 in. dia. bears N 65 E 35 W. dist. 8  
 a B. Ash 12 " " " S 37 W 5 " "  
 61.78 a Sugar 12 " "  
 81.75 to sec. cor.

## North between Secs. 20 &amp; 21

7.25 a Stream 25 W. wide course E.  
 35.71 a Sugar 14 in. dia.  
 40.00 set g. sec. post from which

T. 20 N., R. 4 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
 Ch. Lk.

a Beech 11 in. dia. bears S44 E 10 W. dist. 8  
 a Sugar 13 " " " N43 W 26 " "  
 60.33 at W. Oak 36 " "  
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
 an Ironwood 5 in. dia. bears S50 E 9 W. dist. 8  
 a Beech 14 " " " N77 W 24 " "  
 Land level good 2<sup>d</sup> rate. Timber Oak, Ash, Elm,  
 Hickory, Gum, Beech, Poplar & Upr. Spice, Ash  
 Ironwood, Leatherwood &c.

East on Randon between Sec. 16 & 21

40.00 set temp. g. sec. post  
 70.75 at stream 25 W. wide curve NW  
 81.77 Intersect N & S. line at post —  
 Land level good 2<sup>d</sup> rate. Timber Oak,  
 Ash, Walnut, Hickory, Sugar, Beech &  
 Upr. Spice &c.

West Connected between Sec. 16 & 21

24.63 a Beech 9 in. dia.  
 40.88 1/2 set g. sec. post at aver. dist. from which  
 a W. Elm 20 in. dia. bears S16 W 28 W. dist. 8  
 a Beech 9 " " " N16 E 2 " "  
 61.37 a Beech 11 " "  
 81.77 to sec. cor. January 16. 1822

North between Sec. 16 & 17

19.65 a Beech 11 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 8 in. dia. bears N74 E 6 W. dist. 8  
 a Do 13 " " " S33 W 13 " "  
 61.27 a Poplar 20 in. dia.  
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
 a Hornbeam 4 in. dia. bears N89 W 10 W. dist. 8  
 an Ironwood 5 " " " S89 E 14 " "  
 Land level 2<sup>d</sup> rate. Timber Oak, Beech, Walnut,



T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>u</sup>  
Chs. 1<sup>st</sup>

Ash, Sugar & Upr. Spice &c

---

East on Random between Sect. 9 & 16

40.00 set temp. gr. sec. post

81.20 Intersect N & S. line at post -

Land level 2<sup>d</sup> rate, a little swampy. Timber  
Oak, Elm, Ash & Upr. Spice &c

---

West Connected between Sect. 9 & 16

26.32 a Poplar 26 in. dia.

40.00 set gr. sec. post from which

a Hornbeam 5 in. dia. bears S 54° W 14 Ws. dist. 8

a Beech 12 " " " N 20° E 16 " "

62.31 a Beech 10 " "

81.20 to sec. cor.

---

North between Sect. 8 & 9

24.40 an Ironwood 6 in. dia.

40.00 set gr. sec. post from which

a Beech 5 in. dia. bears S 33° E 17 Ws. dist. 8

a Do 15 " " " N 33° W 6 " "

64.62 a Sycamore 30 in. dia.

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Lynn 4 in. dia. bears S 36° E 4 Ws. dist. 8

a Sugar 5 " " " N 5° W 30 " "

Land level 2<sup>d</sup> rate. Timber Oak, Ash, Elm,  
Hickory, Sycamore, Lynn & Upr. Spice &c

---

East on Random between Sect. 4 & 9

0.20 a stream 50 Ws. wide course N

8.80 a Do 20 " " " SE

10.75 a Do 40 " " " NE

18.93 a Do 25 " " " S

21.50 a Do 40 " " " NE

41.00 a Do 30 " " " S

46.50 a Do 40 " " " N

267

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Chs. Lk.

50.25 a Stream 30 Mts. wide course S E  
52.50 a Do 25 " " " N  
56.20 a Do 25 " " " S  
58.07 a Do 15 " " " N  
59.75 a Do 15 " " " S  
80.20 a Do 20 " " " NE  
81.50 Intersect N. S. line 80 Mts. N. of port -  
Land level 2<sup>d</sup> rate. Timber Oak, Lyrus, B. Ash,  
Beech, Hornbeam & W. Spr. Spice, Hazel &c.

---

West Corrected between Sec. 4 & 9

21.02 a Sugar 9 in. dia.  
40.78 set of sec. port at aver. dist. from which  
a W. Walnut 8 in. dia. bears S 52 E 46 Mts. dist. 3,  
a Lycamore 22 " " " N 63 W 18 " "  
60.63 a Hickory 8 " "  
81.50 to sec. cor.

---

North between Sec. 4 & 5

25.00 a Beech 10 in. dia.  
40.00 set of sec. port from which  
a Beech 8 in. dia. bears N 12 E 28 Mts. dist. 3,  
a Do 12 " " " South 4 " "  
63.27 a Beech 18 " "  
68.50 Intersect N. Boundary 401 Mts. E. of port -  
set port cor. of sec. 4 & 5 from which  
a Sugar 10 in. dia. bears S 44 W 40 Mts. dist. 3,  
a Beech 20 " " " N 30 E 29 " "  
Land a little rolling, soil rich. Timber  
W. Oak, Ash, Beech, Hickory, Walnut,  
Poplar, Sugar & W. Spr. Spice &c.  
January 17. 1822

---

North between Sec. 31 & 32

15.30 a Stream 20 Mts. wide course S 35 E  
30.20 a Beech 20 in. dia.

T. 20 N., R. 4 E., 2<sup>d</sup> Mer. Ind.  
Chs. & Co.

40.00 set g. sec. post from which  
an Ironwood 7 in. dia. bears S 29 W 28 W. dist. 8  
a Beech 18 " " " S 76 E 10 " "

61.41 a Hickory 18 " "

77.91 a Stream 14 W. wide course E.

80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
an Elm 11 in. dia. bears N 40 W 23 W. dist. 8  
a Sugar 16 " " " N 62 E 18 " "  
Land rolling, soil rich. Timber W. Oak,  
Ash, Walnut, Sugar, Elm, Hickory, Beech &  
W. Spice &

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

83.00 Intersect N & S. line 209 W. S. of post  
Land level good 2<sup>d</sup> rate. Timber Oak, Ash,  
Beech, Hickory, Sugar & W. Spice &

West Corrected between Sec. 29 & 32

22.50 a W. Ash 8 in. dia.

41.80 set g. sec. post at aver. dist. from which  
a Beech 6 in. dia. bears North 13 W. dist. 8  
a Do 16 " " " S 10 W 15 " "

62.48 a Beech 9 " "

83.00 to sec. cor.

North between Sec. 29 & 30

30.00 a W. Elm 18 in. dia.

40.00 set g. sec. post from which  
a Hornbeam 6 in. dia. bears S 15 W 25 W. dist. 8  
a B. Ash 8 " " " North 19 " "

65.90 a Beech 18 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
a Beech 10 in. dia. bears N 84 W 17 W. dist. 8  
a W. Ash 36 " " " S 52 E 25 " "  
Land level good 2<sup>d</sup> rate. Timber Ash, Elm,

269  
T. 20 N., R. 4 E. 2. Mer. Ind.  
Ch. L. W.

Walnut, Beech & Upr. Spice &c.

---

East on Random between Sec. 20 & 29

40.00 dit temp. gr. sec. port

72.23 a Stream 8 Ws. wide came NE

85.43 Intersect N. S. line 11 1/2 Ws. S. of port -

Land level, soil rich. Timber Oak, Walnut,  
Ash, Elm, Hickory, Poplar, Beech & Upr. Spice  
of uncommon growth

---

West Corrected between Sec. 20 & 29

20.25 a Beech 6 in. dia.

42.71 dit gr. sec. port at aver. dist. from which

a Sugar 16 in. dia. bears N 35 W 16 Ws. dist. 8,

a Beech 10 " " " S 56 E 38 " "

65.22 a Hickory 20 " "

85.43 to sec. cor.

---

North between Sec. 19 & 20

27.56 a Sycamore 18 in. dia.

40.00 dit gr. sec. port from which

a W. Elm 8 in. dia. bears N 30 E 14 Ws. dist. 8,

a W. Maple 6 " " " S 73 W 6 " "

63.82 a Sugar 24 " "

80.00 dit port cor. of sec. 17, 18, 19 & 20 from which

a Beech 10 in. dia. bears S 14 E 25 Ws. dist. 8

a Hickory 18 " " " N 21 W 39 " "

Land level 2. rate. Timber Oak, Ash, Elm,  
Hickory, Sugar, Beech, Walnut & Spice &c.

---

East on Random between Sec. 17 & 20

40.00 dit temp. gr. sec. port

83.75 Intersect N. S. line 7 1/2 Ws. N. of port -

Land level 2. rate. Timber Oak, Beech, Ash,  
Hickory, Elm, Sugar & Upr. Spice &c.

---

T. 20 N., R. 4 E. 2 Mer. Ind.<sup>o</sup>  
Ch. Sh.

West Connected between Sec. 17 & 20  
24.01 a B. Ash 12 in. dia.

41.87 1/2 set g. sec. part at aver. dist. from which  
a Beech 7 in. dia. bears N 72 E 14 W. dist. 3,  
a Sugar 24 " " " S 10 W 28 " "

64.58 a Sugar 12 " "

83.75 to sec. cor. January 18. 1822

North between Sec. 17 & 18

26.75 a Red Oak 36 in. dia.

40.00 set g. sec. part from which

a Buckeye 5 in. dia. bears S 28 E 6 W. dist. 3,

a Sugar 14 " " " N 44 W 33 " "

66.62 a Red Oak 36 " "

80.00 set part cor. of Sec. 7, 8, 17 & 18 from which

a Buckeye 8 in. dia. bears N 20 W 12 W. dist. 3,

a Beech 12 " " " S 73 E 25 " "

Land level sink. Timber Ash, Oak, Hick-  
ory, Elm, Walnut & Wgs. Spice &

East on Pandem between Sec. 8 & 17

40.00 set temp. g. sec. part

85.10 Intersect N & S. line 47 W. N. of part -

Land level 2 rate. Timber Oak, Ash, Elm,

Hickory, Sugar & Wgs. Spice, Prickly Ash &

West Connected between Sec. 8 & 17

24.03 a Hickory 13 in. dia.

42.55 set g. sec. part at aver. dist. from which

a Beech 4 in. dia. bears N 13 E 9 W. dist. 3,

a Sugar 10 " " " S 9 W 28 " "

65.53 a Do 14 " "

85.10 to sec. cor.

North between Sec. 7 & 8

5.25 a Stream 30 W. wide course N E



T. 20 N., R. 4 E., T. 2 Mer. Ind. a.  
Ch. 1. 10.

22.81 a W. Ash 30 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 76 E 28 W. dist. 8

a Do 24 " " " N 89 W 19 " "

58.55 a Poplar 36 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 6 in. dia. bears N 17 E 10 W. dist. 8

a Red Oak 48 " " " South 3 " "

Land level, soil rich. Timber Ash, Sugar,  
W. R. Oak, Poplar, Hickory, Beech, Elm,  
Lynn & W. Spruce &c.

East on Randon between Sec. 5 & 8

40.00 set temp. of sec. post

85.38 Intersect N. S. line 63 W. S. of post -

Land level, soil rich. Timber Ash, Sugar,  
Walnut, Oak, Hickory, Buckeye, Elm,  
Lynn & W. Spruce, Hornbeam &c.

West Corrected between Sec. 5 & 8

26.02 a Hickory 8 in. dia.

42.09 set of sec. post at aver. dist. from which

a Beech 9 in. dia. bears S 70 E 34 W. dist. 8

a Sugar 16 " " " N 77 W 20 " "

67.19 a Sugar 18 " "

85.38 to Sec. cor.

North between Sec. 5 & 6

18.58 a Hickory 14 in. dia.

40.00 set of sec. post from which

a Ironwood 6 in. dia. bears S 12 W 23 W. dist. 8

a Beech 24 " " " N 32 E 26 " "

58.28 a Beech 8 " "

69.02 Intersect N. Boundary 43 W. of post -

set post at intersection cor. of sec. 5 & 6 from which  
a Beech 9 in. dia. bears N 55 E 8 W. dist. 8

T. 20 N., R. 4 E., S. 2. Mar. Ind. a  
Chs. Chs.

a Poplar 24 in. dia. bears S 70° W 45 Ws. dist.  
Land level, rich soil. Timber Ash, Beech,  
W. P. Oak, Poplar, Sugar & Upr. Spice &  
January 19. 1822

West between Secs 30 & 31

4.15 a stream 15 Ws. wide course S.

20.00 a W. Ash 10 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears S 46° E 15 Ws. dist. &

a Di 8 " " " N 80° W 5 " "

62.05 a W. Elm 14 " "

81.80 Intersect W. Boundary 422 Ws. N. of post -

set post at intersection cen. of sec. 30 & 31 from which

a W. Oak 13 in. dia. bears S 24° W 29 Ws. dist. &

a Beech 11 " " " N 31° E 25 " "

Land level 2. rate. Timber Oak, Ash, Elm,  
Beech & Upr. Spice &

West between Secs 19 & 30

26.45 a Red Oak 36 in. dia.

40.00 set g. sec. post from which

a Dogwood 5 in. dia. bears N 41° W 18 Ws. dist. &

a Ironwood 6 " " " S 79° E 5 " "

64.12 a W. Ash 8 " "

81.57 Intersect W. Boundary 425 Ws. N. of post -

set post at intersection cen. of sec. 19 & 30 from wh.

a Cherry 8 in. dia. bears S 21° E 27 Ws. dist. &

a W. Ash 8 " " " N 51° E 25 " "

Land level good 2. rate. Timber Ash, Oak,  
Elm, Walnut, Gum, Sycamore, Beech &  
Upr. Ironwood, Spice, Ash &

West between Secs 18 & 19

17.55 a W. Ash 30 in. dia.

40.00 set g. sec. post from which

T. 20 N., R. 4 E., T. 2 Mer. Ind. &  
Chr. Gr.

- a Beech 6 in. dia. bears S 69 E 18 W. dist. 8  
a W. Oak 16 " " " N 49 W 6 " "  
67.53 a Sycamore 20 in. dia.  
81.28 Intersect W. Boundary 469 W. N. of post -  
set post at intersection cor. of Sec. 18 & 19 from which  
a Sugar 6 in. dia. bears S 42 E 19 W. dist. 8  
a Ironwood 5 " " " N 30 W 20 " "  
Land level good 2. rate. Timber Oak, Ash,  
Walnut, Sugar, Hickory, Beech & Spice &
- 

West between Sec. 7 & 18

- 20.00 a W. Elm 24 in. dia.  
28.43 a stream 10 W. wide course N.  
40.00 set of sec. post from which  
a Sugar 26 in. dia. bears S 17 E 23 W. dist. 8  
a Do 26 " " " N 48 W 38 " "  
65.12 a W. Elm 36 " "  
81.86 Intersect W. Boundary 485 W. N. of post -  
set post at intersection cor. of Sec. 7 & 18 from which  
a Gum 5 in. dia. bears S 63 E 30 W. dist. 8  
a Sugar 10 " " " N 81 W 22 " "  
Land rolling, soil rich. Timber Sugar, Ash,  
Walnut, W. & R. Oak, Beech, Elm, Buckeye,  
Hornbeam & W. & S. Spice &
- 

West between Sec. 6 & 7

- 21.75 a Red Oak 40 in. dia.  
40.00 set of sec. post from which  
a W. Ash 42 in. dia. bears S 72 E 8 W. dist. 8  
a R. Oak 38 " " " N 72 W 18 " "  
63.23 a Beech 10 " "  
82.50 Intersect W. Boundary 445 W. N. of post -  
set post at intersection cor. of Sec. 6 & 7 from which  
a Beech 9 in. dia. bears N 75 W 6 W. dist. 8  
a Do 8 " " " N 49 E 15 " "  
Land rolling & high, soil rich. Timber Ash,

T. 20 N., R. 4 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

Beech, Oak, Walnut, Sugar, Hickory &  
Upr. Spice &c. January 20. 1822

General description.

The last half of this Township, particularly the NW. part, appears to be excellent farming land; its situation is high and part of it rolling, and from the abundance of small natural drains, at present dry, falling into the western fork of Cicero's Creek (a rapid stream which runs entirely through the Township, and also another branch of the same Creek at the SW. a rapid and never failing stream) the farmer in all probability will never be subject to the heavy tax of cutting artificial ones. The soil is generally very deep, and seems to be a black loam on a blue, and in many places, red clay bottom. The Creek bottom land is mixed with sand and gravel, but the bottoms here on this part of the Creek are extremely narrow, generally one bank being in full view from the other.

Andrew Wallace

Deputy Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N<sup>o</sup>. 20 North in Range N<sup>o</sup>. 4 East of the 2<sup>d</sup>. Principal Meridian in the State of Indiana has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Dec. 21. 1844

William Johnston  
Sur. Genl.